

SECTION 1

PARTITIONING

SYSTEMS

Pedestal Mount Overhead Braced (POB)	10
Pedestal Mount Ceiling Fixed (PCF)	14
Floor Mount Overhead Braced (FOB)	18
Floor Mount Ceiling Fixed (FCF)	22
Floor Mount Free Standing (FFS)	26
Full Height Privacy Core (FHPC)	30
Full Height Privacy Ultra (FHPU)	34
Full Height Privacy Max (FHPM)	38





Our floor mount overhead braced wet area partitioning system is one of the strongest systems we offer and specifically designed for heavy-duty applications.

Aesthetically pleasing, it is the ideal solution for schools, end-of-trip facilities and high use corporate bathrooms.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS

- Nibs mounted to the floor provide stability, strength and durability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2020mm AFFL

“The floor mount overhead braced partitioning system is robust, ideal for heavy duty applications, and provides a clean timeless appeal.”


Rick Kennard
Sales Executive, DuraCube




Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the waterproofing membrane.




DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.




Plan




Elevation



Floor Mounting Detail




Optional 150mm Skirt Mount Detail




Section


HOW TO SPECIFY
Product DuraCube floor mount overhead braced (FOB)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Hardware Viva satin chrome hardware is standard Other hardware is available – see pages 90-91
Headrail Aluminium square profile 40mm x 40mm Colour – Oyster Grey powder coat
Floor Mounting Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar or optional skirt mount
Overall System Height 2020mm AFFL




Plan



Floor Mounting Detail



Elevation



Section

HOW TO SPECIFY

Product

DuraCube floor mount overhead braced (FOB) with curved doors

Door and Panel Construction Material

DuraSafe 13mm compact laminate

Door Profile

Curved top door, 1800mm door height

Hardware

Viva satin chrome hardware is standard
Other hardware is available – see pages 9091

Headrail

Aluminium square profile 40mm x 40mm
Colour – Oyster Grey powder coat

Floor Mounting

Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar or optional skirt mount

Overall System Height

2122mm AFFL