




Duracube® Durasafe® Compact Laminate

Durasafe® Compact Laminate is comprised of paper and phenolic resin. These boards are available in a variety of colours and prints. Durasafe has anti-bacterial and anti-fungal properties and can be used in wet areas in applications such as bathroom partitioning systems, privacy panels, locker systems, bench seating, vanity benches and other custom requirements. Durasafe Compact Laminate also has applications outside of wet areas through the cut-to-size service.



Products/Ranges:	Durasafe® Compact Laminate
Product Stages Assessed:	Manufacturing + In-Use
Product Type:	Compact laminate
CSI Masterformat:	09 05 13
Licenced Site/s:	Nalagarh, India
Licence Number:	TAL:LA01:2024:PH
Licence Date:	28th March 2024
Valid To:	28th March 2025
Standard:	GGT International v4.0
Screening Date:	29th February 2024
PHD URL:	www.globalgreentag.com/certificate/2581

PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL® & LEED® Material Transparency & Optimization credits included below:
- Meets Green Star® 'Buildings v1.0' as Recognized for ~ Credit 9: Responsible Finishes; as a Compliant Technical Document (Audited) for ~ Credit 13: Exposure to Toxins, and 'Design & As Built v1.3' and 'Interiors v1.3' ~ Indoor Pollutants.
- Meets IWBI® WELL® v1.0 as Recognized for ~ as a Compliant Technical Document (Audited) for ~ Feature 04 (Part 5); Feature 25 (Part 1, 3, 4), and, meets IWBI® WELL® v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X06 (Part 2); X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED® v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass.
See over for explanation.

ASSESSMENT:



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED[®] v4.0 & v4.1, WELL[®] v1.0 & v2.0, Green Star[®], the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished Product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Kraft Paper								
Paper	Fill	5-15%	None	OK				This material is responsibly sourced. No identifiable risks during manufacture, installation or use. Recycled Content: None Nano Materials: Unknown
Recycled Paper	Fill	<15%	None	OK				This material is responsibly sourced. No identifiable risks during manufacture, installation or use. Recycled Content: Post-C Nano Materials: Unknown
Decorated Paper								
Wood Pulp	Fill	5-15%	None	OK				Paper responsibly sourced. No identifiable risks during manufacture, installation or use. Recycled Content: None Nano Materials: Unknown
ε-caprolactam	105-60-2	0.01-1%	IARC 3 H332 (Acute Tox. 4) H302 (Acute Tox. 4) H335 (STOT SE 3) H315 (Skin Irrit. 2) H319 (Eye Irrit. 2)	OK				This substance is an ink used in small amounts in the product. The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is in small quantities and cured in the final product and is unlikely to be hazardous to users. Recycled Content: None Nano Materials: Unknown
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5	0.01-1%	H302 (Acute Tox. 4) H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H317 (Skin Sens. 1 B) H400 (Aquatic Acute 1)	OK				This substance is used in small amounts in the product. The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is in small quantities and cured in the final product and is unlikely to be hazardous to users. Recycled Content: None Nano Materials: Unknown
octhilonone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]	26530-20-1	<0.01%	H330 (Acute Tox. 2) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H314 (Skin Corr. 1) H318 (Eye Dam. 1) H317 (Skin Sens. 1 B) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	OK				This substance is used in small amounts in the product. The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is in small quantities and cured in the final product and is unlikely to be hazardous to users. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1) H318 (Eye Dam. 1) H317 (Skin Sens. 1 B) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	OK				This substance is used in small amounts in the product. The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is in small quantities and cured in the final product and is unlikely to be hazardous to users. Recycled Content: None Nano Materials: Unknown
Phenolic Resin & Amino Plastic Resin								
Proprietary	Resin	5-15%	IARC 3 H341 (Muta. 2) H331 (Acute Tox. 3) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H373 (STOT RE 2) H314 (Skin Corr. 1)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown
Formaldehyde ...%	50-00-0	10-20%	H350 (Carc. 1B) H341 (Muta. 2) H331 (Acute Tox. 3) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H314 (Skin Corr. 1) H317 (Skin Sens. 1 B)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product. Formaldehyde testing has been completed and emissions were comparable to background levels and it not identifiable as a risk to users. Recycled Content: None Nano Materials: Unknown

Melamine	108-78-1	1-5%	IARC 2B H351 (Carc. 2) H373 (urinary tract) (STOT RE 2)	Candidate list for Substances of Very High Concern				The workplace risks are minimised through an ISO 45000 Certified OHS system and the use of heavy respirators. The substance is transformed in the final product and was not detected in the final product using residue testing. Some residue leaching may occur if left in water however at the low levels in the product this is unlikely to occur. Recycled Content: None Nano Materials: Unknown
Proprietary	Resin	1-5%	H302 (Acute Tox. 4)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown
Proprietary	Resin	0.01-1%	H315 (Skin Irrit. 2) H312 (Acute Tox. 4) H412 (Aquatic Chronic 3) H318 (Eye Dam. 1) H317 (Skin Sens. 1 B) H302 (Acute Tox. 4) H402 (Harmful to aquatic life) H410 (Very toxic to aquatic life with long lasting effects) H319 (Eye Irrit. 2)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown
Proprietary	Resin	0.01-1%	H314 (Skin Corr. 1)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown
Proprietary	Resin	0.01-1%	H225 (Flam. Liq. 2) H331 (Acute Tox. 3) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H370 **(STOT SE 1)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown
Proprietary	Resin	<0.01%	IARC 3 H332 (Acute Tox. 4) H302 (Acute Tox. 4) H335 (STOT SE 3) H315 (Skin Irrit. 2) H319 (Eye Irrit. 2)	OK				The workplace risks are minimised through an ISO 45000 Certified OHS system. The substance is transformed in the final product and is unlikely to be hazardous to users in this form. Recycled Content: None Nano Materials: Unknown

* No GHS H-Statement classification
OHS- Occupational Health and Safety
EMS - Environmental Management System
TVOC - Total Volatile Organic Compound

Comments:
TVOC emissions were found to be <0.22 mg/m³ and Formaldehyde Emissions <0.009 mg/m³ and were determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 in the office environment.

Melamine residue was not detected (<1PPM) in the final product when tested on 19/05/2023 using an in house method by Eurofins , an ISO17025 certified laboratory.