


Our Product Catalogue



"It's the effort we put in that minimises stress for our customers, from early consultation to on-time delivery."

Ben Simpson

General Manager, DuraCube



When performance matters, DuraCube is the reliable choice for builders and architects across the country. We deliver systems as specified and on time. And best of all, DuraCube is backed by a supportive team of specialist consultants who are there if you need them.

Contents


Introduction	(
Product Range Inclusions	6
Our Customer Promise	6
Process and Locations	-
Ocation 4 Postitioning Contains	
Section 1: Partitioning Systems	10
Pedestal Mount Overhead Braced (POB)	1(
Pedestal Mount Ceiling Fixed (PCF)	14
Floor Mount Overhead Braced (FOB)	18
Floor Mount Ceiling Fixed (FCF)	22
Floor Mount Free Standing (FFS)	26
Full Height Privacy Core (FHPC)	30
Full Height Privacy Ultra (FHPU)	34
Full Height Privacy Max (FHPM)	38
Section 2: Privacy Panels	42
Overview	44
Privacy Panels - Wall Mount (PWM)	45-4
Privacy Panels – Pedestal Mount (PPM)	45-4
Privacy Panels - Childcare (PCC)	45-4
Privacy Panels - Full Height (PFH)	45-4
Privacy Panels - Post Fixed (PPF)	45-4
Section 3: Locker Systems	48
Overview	50
Lockers – Plinth Mounted (LPM)	5
Lockers – Wall Mounted (LWM)	52
Lockers – Bench Mounted (LBM)	53
Lockers – Shoe Box Mounted (LSBM)	54
Lockers - Shoe Box Seating Mounted (LSBS)	M) 55
Lockers - Plinth Mounted End-of-Trip (LPM-E0	OT) 56
Lockers - Wall Mounted End-of-Trip (LWM-EC	
Lockers - Shoe Box Mounted End-of-Trip (LSBM - I	EOT) 60
Lockers - Accessible Ironing Station (AIS)	62

Section 4: Bench Seating	64
Overview	66
Bench Seating – Island (BSI)	67
Bench Seating - Wall with Shelving (BSW-S)	68
Bench Seating - Wall with Coat Rail (BSW-C)	69
Bench Seating – Shoe Box Island (SBI)	70
Bench Seating — Shoe Box Wall with Shelving (SBW-S	3) 71
Bench Seating — ShoeBoxWall with CoatRail (SBW-	C)72
Section 5: Vanities	74
Overview	76
Vanity Bench – Inset (VB520)	78
Vanity Bench – Semi-Recessed (VB350)	79
Vanity Cabinet – Inset (VCWM520)	80
Vanity Cabinet – Semi-Recessed (VCWM350)	81
Section 6: Compact Laminate	82
Overview	84
Colour Range	85
Cut to Size Service	86
Section 7: Accessories / Hardware	88
Accessories	90
Hardware 9	0-91
Contact	92


DuraSafe 5003 Phillipine Teak, and DuraSafe 279 Charcoal







Our diverse range of colours, including timber hues, empowers creative teams to deliver highly sophisticated and visually striking spaces.




Agility sets us apart. We can design and install bathroom joinery systems within weeks.



We collaborate with designers and architects to ensure our joinery complements the overall aesthetic.





DuraCube is a dedicated team of professionals that specialises in providing cost-effective and fit-for-purpose solutions for commercial bathrooms.

We are a wholly owned and operated Australian business that has been providing the construction industry with wet area products and services since 1987.

We collaborate with architects, designers, and builders to design and deliver exceptional bathroom joinery.

From initial design to installation and project closeout, we provide superior customer service and respond quickly to clients' evolving needs. Our tight-knit team handles every detail with care and precision, and a single point of contact ensures a seamless experience.

We manufacture our joinery using DuraSafe Compact Laminate, a 13mm antiviral, antibacterial, and antifungal compact laminate. Machined in our Western Sydney factory, our products are shipped weekly to warehouses across Australia.

PRODUCT RANGE INCLUSIONS

- Privacy panels

Locker systems

— Toilet and shower partitioning systems

belieffseating
— Vanity benches
— Hardware, accessories and locks
— DuraSafe compact laminate cut to size
OUR CUSTOMER PROMISE
We are committed to providing superior customer service by:
— Using our industry experience and expertise
— Identifying issues and proactively providing solutions
— Communicating through one point of contact
— Supplying quality products
— Delivering our products on time every time

Locations



DuraCube has offices and depots in New South Wales, Queensland, Victoria and South Australia.



Founded

Staff Members

Cubicle Production Capacity (Per Week)

1987 50+ 1,000+











Files available online

Certified

Market leading


SECTION 1 PARTITIONING SYSTEMS

10 14
1/
74
18
22
26
30
34
38









The DuraCube pedestal mount overhead braced wet area partitioning system is strong, economical, and designed to minimise material waste.

The system is quick and easy to assemble, reducing installation time.

Pedestal floor mounting allows for easy cleaning with a mop and hose.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS

- The most cost-effective partitioning system
- DuraSafe13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Efficient use of materials
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Quick and easy installation
- Overall system height 2020mm AFFL

"The pedastal mount overhead braced partitioning system is strong, quick and easy to install, and easy to clean."

Mark Simpson Founder, DuraCube










Standard pedestal leg

Optional setback pedestal leg

DuraSafe Compact Laminate All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.





Finished floor level

Finished floor level


Standard Pedestal Mount Detail

Optional Setback Pedestal Mount Detail


"We manufacture our partitioning systems in-house and can deliver high quality products within three weeks from site measurement."

Athol Simpson

Operations Manager, DuraCube



Elevation



Section

HOW TO SPECIFY

Product

DuraCube pedestal mount overhead braced (POB)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Hardware

Viva satin chrome hardware is standard. Other hardware is available – see pages 90-91

Headrail

Aluminium square profile 40mm x 40mm Colour – Oyster Grey powder coat

Floor Mounting

Adjustable 200mm aluminium pedestal legs

Overall System Height 2020mm AFFL





The DuraCube pedestal mount ceiling fixed wet area partitioning system is a visually appealing design. All panels are fixed directly to the ceiling while the pedestal legs provide structural strength.

The system is quick and easy to assemble, reducing installation time. Pedestal floor mounting allows for easy cleaning with a mop and hose.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
-
- Pubs and clubs

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Efficient use of materials
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Quick and easy installation
- Overall system height 2400mm to 3000 AFFL

"The pedestal mount ceiling fixed partitioning system is a strong system with minimal lines as there is no headrail required."

Kasun Jayasinghe Commercial Manager, DuraCube





Standard pedestal leg







Optional setback pedestal leg


DuraSafe Compact Laminate
All DuraCube panels and doors
are constructed with DuraSafe
13mm compact laminate.


Bathroom Joinery Systems | 15















Standard Pedestal Mount Detail

Optional Setback Pedestal Mount Detail



Section

HOW TO SPECIFY

Product

DuraCube pedestal mount ceiling fixed (PCF)

Door and Panel Construction Material DuraSafe 13mm compact laminate

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Ceiling Fixing

Aluminium C channel 20mm x 30mm fixed to the ceiling Colour – Oyster Grey powder coat

Floor Mounting

Adjustable 200mm aluminium pedestal legs

Overall System Height 2400mm to 3000mm AFFL

16 | DuraCube Product Catalogue Bathroom Joinery Systems | 17





Our floor mount overhead braced wet area partitioning system is one of the strongest systems we offer and specifically designed for heavy-duty applications.

Aesthetically pleasing, it is the ideal solution for schools, end-of-trip facilities and high use corporate bathrooms.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS

- Nibs mounted to the floor provide stability, strength and durability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2020mm AFFL

"The floor mount overhead braced partitioning system is robust, ideal for heavy duty applications, and provides a clean timeless appeal."

Rick Kennard


Sales Executive, DuraCube





Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the waterproofing membrane.

DuraSafe Compact Laminate
All DuraCube panels and doors
are constructed with DuraSafe
13mm compact laminate.










Inside cubicle
Outside cubicle
finished floor level

Floor Mounting Detail

Optional 150mm Skirt Mount Detail



Section

HOW TO SPECIFY

Product

DuraCube floor mount overhead braced (FOB)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Headrail

Aluminium square profile 40mm x 40mm Colour – Oyster Grey powder coat

Floor Mounting

Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar or optional skirt mount

Overall System Height 2020mm AFFL





Our floor mount ceiling fixed wet area partitioning system is designed specifically for use in upmarket corporate applications or anywhere that requires a quality finished bathroom.

The superbly finished, streamlined design makes this system one of our most popular and aesthetically pleasing partitioning systems.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS

- Nibs mounted to the floor provide stability, strength and durability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Aesthetically pleasing design with clean lines
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2020mm AFFL

"The floor mount ceiling fixed partitioning system presents a quality, up-market aesthetic through clean lines and the continuity of the finish."


Ron Simpson


Major Projects Manager, DuraCube



DuraSafe Compact Laminate
All DuraCube panels and doors
are constructed with DuraSafe
13mm compact laminate.








Finished ceiling line Nibs secured to ceiling with aluminium channel Screw fixing visible from the inside of the cubicle only Nibs secured to floor with aluminium angle Finished floor level

Blocking installed in ceiling

Floor Mounting Detail

Ceiling Fixing Detail



Section

HOW TO SPECIFY

Product

DuraCube floor mount ceiling fixed (FCF)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Ceiling Fixing

Aluminium C channel 20mm x 30mm fixed to the ceiling

Colour – Oyster Grey powder coat

Floor Mounting

Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar

Overall System Height 2400mm to 3000 AFFL





Our floor mount free standing wet area partitioning system is one of the most sophisticated systems we offer

This high quality, low maintenance solution is specifically designed for use in low traffic areas and is suitable for upmarket corporate applications.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway.

APPLICATIONS

- Corporate amenities
- Low traffic areas

"The floor mount free standing partitioning system offers a sleek, minimalist design for use in low traffic areas."

Matthew Ponza Specification Manager, DuraCube

FEATURES & BENEFITS

- No headrail or ceiling fixing creates a sleek, modern design with clean lines
- Nibs mounted to the floor provide stability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 1900mm AFFL

Please Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the waterproofing membrane.







Aluminium skirt mount in Oyster Grey powder-coat





DuraSafe Compact Laminate
All DuraCube panels and doors
are constructed with DuraSafe
13mm compact laminate.












150mm Skirt Mount Detail



Section

HOW TO SPECIFY

Product

DuraCube floor mount free standing (FFS)

Door and Panel Construction Material DuraSafe 13mm compact laminate

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages


Floor Mounting

Nib panels fixed with skirt mount Colour – Oyster Grey powder coat

Overall System Height 1900mm AFFL

28 | DuraCube Product Catalogue Bathroom Joinery Systems | 29





Our full height privacy core is a wet area partitioning system that provides visual privacy at an affordable price.

Privacy core panels above the doors are slotted to provide air circulation.

This system complies with Department of Education standards in most Australian states.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D81a Unisex facility requirement for full height doors and partitions
- F4D82c Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS


- Cost-effective privacy partitioning system
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- DuraCube privacy edge is a standard inclusion
- Slotted panel above door enables ventilation
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2340mm to 3000mm AFFL


"The full height privacy core partitioning system provides visual privacy and ventilation at an economical price."

Harry Simpson Sales Manager, DuraCube











Ceiling Fixing Detail



Floor Mounting Detail



Section

HOW TO SPECIFY

Product

DuraCube full height privacy core (FHPC)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Construction

Privacy edge angled door and nibs Privacy core ventilation panel

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Ceiling Fixing

Aluminium channel Colour – Oyster Grey powder coat

Floor Mounting

Aluminium angle Colour – Oyster Grey powder coat

Overall System Height

Min. 2340mm to Max. 3000mm AFFL





Our full height privacy ultra is a wet area partitioning system is designed for high use areas where privacy is of the highest concern, such as schools, swimming pools and sporting facilities.

Floor-to-ceiling doors, panels and nibs create a streamlined design with minimal gaps providing a low maintenance and ultra private solution.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D81a Unisex facility requirement for full height doors and partitions.
- F4D82c Door removable from outside if less than 1.2m between pan and doorway.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS


- Modern, minimalist design with clean lines $\,$
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- DuraCube privacy edge is a standard inclusion
- No sight gaps around panels, nibs and doors
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2100 to 3000mm AFFL


"The full height privacy ultra partitioning system provides visual privacy in an elegant, sleek design."

Nick Serafin Marketing Manager, DuraCube











snap infills over doorways

Ceiling Fixing Detail



Floor Mounting Detail



Section

HOW TO SPECIFY

Product

DuraCube full height privacy ultra (FHPU)

Door and Panel Construction Material

DuraSafe 13mm compact laminate

Construction

Privacy edge angled door and nib

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Ceiling Fixing

Aluminium channel Colour – Oyster Grey powder coat

Floor Mounting

Aluminium angle Colour – Oyster Grey powder coat

Overall System Height

Min. 2100mm to Max. 3000mm AFFL

36 | DuraCube Product Catalogue Bathroom Joinery Systems | 37





The full height privacy max is a wet area partitioning system that provides a cost-effective alternative to traditional stud wall construction.

Privacy Max cubicles ensure maximum visual and acoustic privacy while also allowing ventilation.

REGULATORY COMPLIANCE

- NCC 2022 Part F Deem to Satisfy Provisions
- F4D81a Unisex facility requirement for full height doors and partitions.
- F4D82c Door removable from outside if less than 1.2m between pan and doorway.
- Ventilation Grill has maximum pressure drop of 12Pa at 251/s of forced exhaust air ventilation to provide makeup air to comply with NCC 2022 J6D5. (Full report available).

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

- **FEATURES & BENEFITS**
- Efficient alternative to stud wall construction
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- Acoustic rubber seal around doors and openings
- No sight gaps around panels, nibs and doors
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2340 to 3000mm AFFL
- Suitable for mechanically ventilated areas only


"The full height privacy max partitioning system eliminates all gaps around panels and doors to increase comfort for its users."

Alana Jackson


Specification Manager, DuraCube








Plan



Ceiling Fixing Detail



Door Seal Detail


Door

Privacy max bottom

Finished floor level

door seal

Floor Mounting Detail



Section

HOW TO SPECIFY

Product

DuraCube full height privacy max (FHPM)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Construction

Privacy max door seals
Privacy max ventilation panel

Hardware

Viva satin chrome hardware is standard Other hardware is available – see pages 90-91

Ceiling Fixing

Aluminium channel
Colour – Oyster Grey powder coat

Floor Mounting

Aluminium angle Colour – Oyster Grey powder coat

Overall System Height

Min. 2340mm to Max. 3000mm AFFL

SECTION 2 PRIVACY PANELS

Overview	44
Privacy Panel – Wall Mount (PWM)	45-47
Privacy Panel – Pedestal Mount (PPM)	45-47
Privacy Panel – Childcare (PCC)	45-47
Privacy Panel – Full Height (PFH)	45-47
Privacy Panel – Post Fixed (PPF)	45-47









DuraCube privacy panels are a versatile wet area screening solution providing privacy in open plan bathrooms and change rooms.

Privacy panels are usually installed between urinals or as a substitute for an airlock.

Childcare privacy panels separate toilets at early learning centres and preschools.

Our range includes wall mount, pedestal mount, childcare, full height and post fixed.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS

- Privacy panels are easy to install
- Unobtrusive design
- Compact laminate colours will coordinate with partitioning system colour scheme
- Compact laminate is vandal and Impact-resistant construction material
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise, reducing maintenance time and cost
- Oyster Grey powder coat aluminium extrusions with stainless steel fixings

"The DuraCube privacy panels range is quick and easy to install, quick and easy to clean, and allows consistency right throughout a project's bathroom joinery systems."

Ben Simpson General Manager, DuraCube





Privacy Panel – Wall Mount (PWM)

Privacy Panel – Pedestal Mount (PPM) Privacy Panel – Childcare (PCC)




Privacy Panel – Full Height (PFH)




Privacy Panel – Post Fixed (PPF)

44 | DuraCube Product Catalogue Bathroom Joinery Systems | 45










Privacy Panel – Wall Mount (PWM)








Privacy Panel – Childcare (PCC)



Privacy Panel – Full Height (PFH)



Privacy Panel – Post Fixed (PPF)

HOW TO SPECIFY				
Product Name	Materials	Typical Height	Typical Width	Floor Mount/Ceiling Fixed
Privacy Panel – Wall Mount (PWM)		1400mm AFFL	400mm	Wall mount only with aluminium T-channel
Privacy Panel – Pedestal Mount (PPM)		1400mm AFFL	400mm	Floor mount with adjustable 200mm aluminium pedestal legs
Privacy Panel – Childcare (PCC)	DuraSafe 13mm Compact Laminate	1000mm AFFL	800mm	Floor mount with adjustable 200mm aluminium pedestal legs
Privacy Panel – Full Height (PFH)		To Ceiling Max. 3000mm	400mm to 1200mm	Floor mount with aluminium angle Ceiling fixed with aluminium channel
Privacy Panel – Post Fixed (PPF)		2000mm AFFL	400mm to 1200mm	40 × 40mm floor-to-ceiling square post

Please Note: Custom sizes and solutions are available upon request. Contact our sales team for assistance.

Bathroom Joinery Systems 47

SECTION 3 LOCKER SYSTEMS

Overview	50
Lockers – Plinth Mounted (LPM)	51
Lockers – Wall Mounted (LWM)	52
Lockers – Bench Mounted (LBM)	53
Lockers – Shoe Box Mounted (LSBM)	54
Lockers – Shoe Box Seating Mounted (LSBSM)	55
Lockers – Plinth Mounted End-of-Trip (LPM-EOT)	56
Lockers – Wall Mounted End-of-Trip (LWM-EOT)	58
Lockers – Shoe Box Mounted End-of-Trip (LSBM - EC	T) 60
Lockers – Accessible Ironing Station (AIS)	62









DuraCube lockers are constructed from DuraSafe 13mm compact laminate, making them suitable for wet and dry locations.

Compact laminate is vandal, impact, and waterresistant with a low maintenance surface.

Coordinate your locker colours with partitioning systems, bench seating and vanities.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Sport and gym change rooms
- Defence ablution blocks

"The DuraCube locker range has expanded to accommodate evolving trends, making it fast and easy to design and construct with bathroom joinery systems."

Nick Serafin Marketing Manager, DuraCube

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction requires no edge strip due to black core edge
- Locker carcass constructed from either:
 - · water-resistant white 16mm HMR board or
 - 100% waterproof white 16mm PVC board
- Black PVC edge tape on carcass to match black core on compact laminate panels and doors
- Four door colours can be used to create a pattern
- Shelving and vent options are available
- Coat rail is a standard inclusion
- One to four doors are optional per locker tower

LOCK OPTIONS



Touch Pad

Lock (ETP)



Key Lock

(KL)





Button Lock (KL1000)





Padlock Hasp (PH)

Mechanical

Combintion Lock

(KL20)

Lockers - Plinth Mounted (LPM)



HOW TO SPECIFY

Product

DuraCube locker systems – plinth mounted (LPM)

Door and Panel Construction Material DuraSafe 13mm compact laminate


Internal Carcass Construction Material Select either:


Dry area lockers – white or black 16mm


HMR board Wet area lockers – white 16mm PVC board

Lock

Insert lock option here – see page 50







50 | DuraCube Product Catalogue Bathroom Joinery Systems | 51

Plan



Lockers - Wall Mounted (LWM)



HOW TO SPECIFY

Product

DuraCube locker systems – wall mounted (LWM)

Door and Panel Construction Material DuraSafe 13mm compact laminate


Internal Carcass Construction Material Select either:

Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board


Lock

Select lock option here – see page 50



Plan





Lockers - Bench Mounted (LBM)



HOW TO SPECIFY

Product

DuraCube locker systems – bench mounted (LBM)

Door and Panel Construction Material

DuraSafe 13mm compact laminate


Internal Carcass Construction Material Select either:

Dry area lockers – white or black 16mm


HMR board Wet area lockers – white 16mm PVC board

Lock

Select lock option here – see page 50







Compact laminate seat Section

52 | DuraCube Product Catalogue Bathroom Joinery Systems | 53

Elevation



Lockers - Shoe Box Mounted (LSBM)



HOW TO SPECIFY

Product

DuraCube locker systems – shoe box mounted (LSBM)

Door and Panel Construction Material DuraSafe 13mm compact laminate

Internal Carcass Construction Material


Select either:

Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board


Lock

Select lock option here – see page 50



Plan





Lockers - Shoe Box Seating Mounted (LSBSM)



HOW TO SPECIFY

Product

DuraCube locker systems – shoe box seating mounted (LSBSM)

Door and Panel Construction Material

DuraSafe 13mm compact laminate

Internal Carcass Construction Material


Select either:

Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board


Lock

Select lock option here – see page 50



Plan





54 | DuraCube Product Catalogue Bathroom Joinery Systems | 55



Lockers – Plinth Mounted End-of-Trip (LPM-EOT)



HOW TO SPECIFY

Product

DuraCube locker systems – plinth mounted end-of-trip (LPM-EOT)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate


Internal Carcass Construction Material

Select either: Dry area lockers – white or black 16mm


HMR board
Wet area lockers – white 16mm PVC board


Lock


Select lock option here – see page 50





Plan













Lockers – Wall Mounted End-of-Trip (LWM-EOT)



HOW TO SPECIFY

Product

DuraCube locker systems – wall mounted end-of-trip (LWM-EOT)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate


Internal Carcass Construction Material

Select either: Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board

Lock


Select lock option here – see page 50





Plan




Elevation
















Bathroom Joinery Systems 61




Lockers – Accessible Ironing Station (AIS)









HOW TO SPECIFY

Product

DuraCube locker systems - accessible ironing station (AIS)

Door and Panel Construction MaterialDuraSafe 13mm compact laminate

Internal Carcass Construction Material

Select either:

Dry area lockers – white or black 16mm HMR board

Wet area lockers – white 16mm PVC board

Lock

Select lock option here – see page 50




SECTION 4 BENCH SEATING

Overview	64
Bench Seating – Island (BSI)	66
Bench Seating – Wall with Shelving (BSW-S)	67
Bench Seating - Wall with Coat Rail (BSW-C)	68
Bench Seating - Shoe Box Island (SBI)	69
Bench Seating – Shoe Box Wall with Shelving (SBW	'-S) 71
Bench Seating - Shoe Box Wall with Coat Rail (SBW	'-C) 72









DuraCube bench seating is constructed from DuraSafe 13mm compact laminate making it robust and durable for heavy-duty applications.

The benches are designed to coordinate with lockers and partitioning systems.

A practical, low maintenance and modern design, the bench seating is idea for various wet areas.

APPLICATIONS

- Schools and universities

— End-of-trip facilities

— Sport and gym change rooms

— Recreational amenities

— Aquatic centres

— Factory change rooms

— Corporate amenities

— Childcare centres

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction
- Vandal and impact-resistant surface
- Suitable for wet areas that are hose cleaned
- Low maintenance, easy to clean and sanitise
- Sturdy Oyster Grey powder-coat frames and legs
- Available in island or wall fixed configurations or combined with lockers.
- Coat hooks with rail or shelving is a standard inclusion and installed above bench seating
- A range of compact laminate colours are available
- Most cost-effective when designed in 1200mm and 1800mm lengths

Bench Seating – Island (BSI)



HOW TO SPECIFY

Product

DuraCube bench seating – island (BSI)

Bench Seat Construction MaterialDuraSafe 13mm compact laminate

·

Coat Rail and Back Rest Supports


DuraSafe 13mm compact laminate

Bench Seat Legs


Steel leg – Pearl Grey powder coat

Frame Finish


Steel posts – Pearl Grey powder coat



Plan



Elevation



Section





Bench Seating – Wall with Shelving (BSW-S)




Product DuraCube bench seating – wall with shelving (BSW-S) Bench Seat Construction Material DuraSafe 13mm compact laminate Shelving DuraSafe 13mm compact laminate Shelf Bracket Bracket – Oyster Grey powder coat Bench Seat Legs

Steel leg – Pearl Grey powder coat







Bench Seating – Wall with Coat Rail (BSW-C)



HOW TO SPECIFY

Product

Bench seating – wall with coat rail (BSW-C)

Bench Seat Construction Material


DuraSafe 13mm compact laminate

Coat Rail


DuraSafe 13mm compact laminate

Bench Seat Legs


Steel leg – Pearl Grey powder coat







Elevation



Section



Bench Seating – Shoe Box Island (SBI)



HOW TO SPECIFY

Product


DuraCube bench seating – shoe box island

Bench Seat Construction Material DuraSafe 13mm compact laminate


Internal Carcass Construction Material Select either:

Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board



Plan



Elevation



Section

Bench Seating – Shoe Box Wall with Shelving (SBW-S)



HOW TO SPECIFY

Product

DuraCube bench seating – shoe box island with shelving (SBW-S)

Bench Seat Construction Material


DuraSafe 13mm compact laminate


Internal Carcass Construction Material

Select either:


Dry area lockers – white or black 16mm HMR board

Wet area lockers – white 16mm PVC board





Elevation



Section

70 | DuraCube Product Catalogue Bathroom Joinery Systems 71



Bench Seating – Shoe Box Wall with Coat Rail (SBW-C)



HOW TO SPECIFY

Product

DuraCube bench seating – shoe box wall with coat rail (SBW-C)


Bench Seat Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material


Select either:

Dry area lockers – white or black 16mm HMR board


Wet area lockers – white 16mm PVC board




Plan



Elevation



Section





72 | DuraCube Product Catalogue 73

SECTION 5 VANITIES

Overview	76
Vanity Bench – Inset (VB520)	78
Vanity Bench - Semi-Recessed (VB350)	
Vanity Cabinet - Semi-Recessed (VCWM520)	
Vanity Cabinet - Semi-Recessed (VCWM350)	81









DuraCube vanity benches are made to measure and precut ready for quick on-site installation.

A large range of compact laminate colours are available to complement the partitioning system.

DuraCube compact laminate is antiviral, antifungal and antibacterial. It's the ideal surface for vanity benches in any commercial wet area.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Entertainment centres
- Childcare centres

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction
- Basin can be inset or semi-recessed
- Prefabricated vanity with basin cut-out reduces installation time on-site
- Waterproof compact laminate ensures no swelling when in contact with water
- Compact laminate bench will coordinate with partitioning system
- Cost-effective alternative to engineered stone and natural stone benchtop
- A large range of compact laminate colours are available in stock
- Available as a vanity bench or vanity cabinet









76 DuraCube Product Catalogue 77



Vanity Bench – Inset (VB520)



HOW TO SPECIFY

Product

DuraCube vanity bench – Inset (VB520)

Vanity Bench Construction Material

DuraSafe 13mm compact laminate

Wall Fixing

DuraCube custom bracket

Vanity Bench – Semi-Recessed (VB350)




HOW TO SPECIFY

Product


DuraCube vanity bench – semi-recessed

Vanity Bench Construction Material DuraSafe 13mm compact laminate


Wall Fixing DuraCube custom bracket




Plan





Elevation





Plan





78 DuraCube Product Catalogue Bathroom Joinery Systems | 79



Vanity Cabinet – Inset (VCWM520)



HOW TO SPECIFY

Product

DuraCube vanity bench – Inset (VCWM520)


Vanity Bench Construction Material


DuraSafe 13mm compact laminate

Wall Fixing


DuraCube custom bracket

Note: Plinth Mounted version also available.









Vanity Cabinet – Semi-Recessed (VCWM350)



HOW TO SPECIFY

Product


DuraCube vanity bench – semi-recessed (VCWM350)

Vanity Bench Construction Material
DuraSafe 13mm compact laminate


Wall Fixing

DuraCube custom bracket

Note: Plinth Mounted version also available.



Plan



100H compact laminate splashback
Compact laminate vanity top

Section

80 | DuraCube Product Catalogue 81


SECTION 6 DURASAFE COMPACT LAMINATE

Overview	84
Colour Range	85
Cut to Size Service	86









DuraSafe Compact Laminate has antiviral, antifungal and antibacterial surface properties ensuring resistance to harmful germs.

DuraSafe has been tested and certified in an Australian laboratory using an internationally recognised ASTM E1053 test method.

This compact laminate is suitable for outdoor, indoor and heavy duty applications.

DuraSafe is competitively priced compared to other compact laminates on the market.

It is graffiti-resistant and has been tested to ASTM D6578/D 6578M-13 (2018).



DuraSafe Compact Laminate DuraSafe 13mm compact laminate is antiviral, antifungal and antibacterial, eliminating 99% of common germs. Durable, waterproof, easy to clean, impact and scratch resistant.




FEATURES & BENEFITS

- Resistant to harmful germs
- Resistant to abrasion
- Resistant to cigarette burns
- Resistant to water penetration
- Resistant to humidity and high temperatures
- Resistant to harsh cleaning solutions
- Hygienic surface material
- Easy to clean and maintain
- Manufactured adhering to strict safety standards
- All standard colours are stocked in our warehouses and ready for use in your project
- Non-standard colours are not kept in stock and have an additional lead time

"DuraCube's commitment to sustainability meets today's needs without compromising future generations."

Athol Simpson Operations Manager, DuraCube

Colour Range



Please Note: The colours in this brochure have been recreated as accurately as possible to match the DuraSafe Compact Laminate colours. The colour chart should be used as a guide only. Physical samples of compact laminate colours are available upon request.

Contact laminate is durable, waterproof, easy to clean and scratch resistant.





DuraSafe Cut to Size Service is the ideal solution for custom designed furniture and joinery including tables, desks, benchtops, doors and wall panels.

Compact Laminate is extremely durable, waterproof and easy to clean.

The surface is antiviral, antifungal and antibacterial, eliminating 99% of common microorganisms.

DuraCube has four CNC machines dedicated to cutting compact laminate. We can cut compact laminate to any shape and size within the 3600mm x 1800mm sheet size.

Standard edge profiles are 1.5mm aris top and bottom. Sharknose and square edge profiles are also available.

DuraCube can help save assembly time by pre-drilling holes, routing cut-outs and creating v-grooves at a minimal cost.

"Let your imagination run free with this totally custom offer."


Alicia Woodbury Sales Support, DuraCube

APPLICATIONS

- Cafés, restaurants, bars, alfresco dining
- Childcare centres
- Schools and universities
- Shopping centres
- Corporate breakout areas and lunch rooms
- Health facilities

FEATURES & BENEFITS

- $-\,{\rm DuraSafe\,13mm\,compact\,laminate\,construction}$
- Customised designs to suit your space and style
- Cost-effective dining solution for indoor and outdoor applications
- Black core is polished to enhance the edges and eliminates the need for edge-tapes that peel
- Impact, vandal and graffiti-resistant material
- Waterproof material that does not swell when wet
- Easy to clean and maintain
- Antiviral, antifungal and antibacterial surface prevents germ growth
- Large range of colours are available





86 DuraCube Product Catalogue 87

SECTION 7 ACCESSORIES / HARDWARE

Accessories	90
Hardware	90-91





Accessories

Our accessories and hardware add the finishing touch to any project.

Ambulant Signs



MLS16446 — BLU

MLS16266 - SIL





MLS16266 — BLU



MLS16246 — BLU



MLS16446 - SIL

Toilet Roll Holders

Dispenser ML841-SS

Dispenser ML841-BL







Grab Rails



Ambulant Grab Rail MLR112-SS



Holder 513TRH-ALUM



Ambulant Grab Rail MLR112-BL

Hardware

Viva Satin Chrome (Standard Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Viva Black (Optional Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



with Door Stop

Hardware

Viva Brass (Optional Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Zetlan Satin Chrome (Optional Hardware)



Standard Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Zetlan Black (Optional Hardware)



Standard Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Bolt Through Cover Plates Pedestal Legs



Aluminium Extrusion Colours



Oyster Grey Matt Interpon No: GL258A



Black Satin Interpon No: GN150A



Brass Matt Dulux Aged Kinetic Brass

Contact

Sydney (Head Office) 13 Pullman Place Emu Plains NSW 2750

Melbourne

12 Metrolink Circuit Campbellfield VIC 3061

By appointment only

Brisbane

Unit 3B, 400 Nudgee Road Hendra QLD 4011

By appointment only Trade license number: 15241086

Adelaide

8 Selgar Avenue Clovelly Park SA 5042

By appointment only Trade license number: BLD307712

Telephone: 1300 387 228 Email: sales@duracube.com.au

Thank you

Please contact our team with any questions about your bathroom joinery.





Bathroom Joinery Systems DuraCube.com.au



