

Our Product Catalogue



“It’s the effort we put in that minimises stress for our customers, from early consultation to on-time delivery.”

Ben Simpson
General Manager, DuraCube

When performance matters, DuraCube is the reliable choice for builders and architects across the country. We deliver systems as specified and on time. And best of all, DuraCube is backed by a supportive team of specialist consultants who are there if you need them.

Contents

Introduction	6	Section 4: Bench Seating	74
Product Range Inclusions	6	Overview	76
Our Customer Promise	6	Bench Seating – Island (BSI)	77
Process and Locations	7	Bench Seating – Wall with Shelving (BSW-S)	78
		Bench Seating – Wall with Coat Rail (BSW-C)	79
		Bench Seating – Shoe Box Island (SBI)	80
		Bench Seating – Shoe Box Wall with Shelving (SBW-S)	81
		Bench Seating – Shoe Box Wall with Coat Rail (SBW-C)	82
Section 1: Partitioning Systems	8	Section 5: Vanities	84
Pedestal Mount Overhead Braced (POB)	10	Overview	86
Pedestal Mount Ceiling Fixed (PCF)	14	Vanity Bench – Inset (VB520)	88
Floor Mount Overhead Braced (FOB)	18	Vanity Bench – Semi-Recessed (VB350)	89
Floor Mount Ceiling Fixed (FCF)	22	Vanity Cabinet – Inset (VCWM520)	90
Floor Mount Free Standing (FFS)	26	Vanity Cabinet – Semi-Recessed (VCWM350)	91
Full Height Privacy Core (FHPC)	30		
Full Height Privacy Ultra (FHPU)	34	Section 6: Compact Laminate	92
Full Height Privacy Max (FHPM)	38	Overview	94
Full Height Self-Contained (FHSC)	42	DuraSafe Standard Colour Range	95
Full Height Self-Contained Cleaners Closet (FHSC-C)	46	DuraCube Specifier Exclusives Colour Range	96
		DuraCube First Nations Range	98
		Cut to Size Service	100
Section 2: Privacy Panels	48	Section 7: Accessories / Hardware	102
Overview	50	Accessories	104
Privacy Panels – Wall Mount (PWM)	51-53	Hardware	104
Privacy Panels – Pedestal Mount (PPM)	51-53		
Privacy Panels – Childcare (PCC)	51-53	Contact	106
Privacy Panels – Full Height (PFH)	51-53		
Privacy Panels – Post Fixed (PPF)	51-53		
Section 3: Locker Systems	54		
Overview	56		
Lockers – Plinth Mounted (LPM)	57		
Lockers – Wall Mounted (LWM)	58		
Lockers – Bench Mounted (LBM)	59		
Lockers – Shoe Box Mounted (LSBM)	60		
Lockers – Shoe Box Seating Mounted (LSBSM)	61		
Lockers – Plinth Mounted End-of-Trip (LPM-EOT)	62		
Lockers – Wall Mounted End-of-Trip (LWM-EOT)	64		
Lockers – Accessible Ironing Station (AIS)	66		
Lockers – Plinth Mounted DDA (LPM-DDA)	67		
Lockers - Bench Seat Mount Player (LBSM-P)	70		
Lockers - Shoe Box Seat Mount Player (LSBSM-P)	72		
Lockers - Bench Seat Mount Cricket (LBSM-C)	73		

COVER IMAGE
DuraSafe 5333 Southern Pine, and DuraSafe 111 Arctic White

FIRST FOR DESIGNERS

DuraCube is the ideal design partner for creating contemporary bathroom joinery systems. We offer innovative solutions that combine sleek aesthetics, durable materials, and exceptional functionality.





DuraSafe 5394 Washed Acacia

Our diverse range of colours, including timber hues, empowers creative teams to deliver highly sophisticated and visually striking spaces.

We collaborate with designers and architects to ensure our joinery complements the overall aesthetic.

Agility sets us apart. We can design and install bathroom joinery systems within weeks.




DuraSafe 738 Oak, DuraSafe 275 Classic Grey, and DuraSafe 113 Off White



DuraSafe 279 Charcoal



DuraSafe 245 Gum Leaf, and DuraSafe 111 Arctic White



DuraSafe 5003 Phillipine Teak

Bathroom Joinery Systems | 5

DuraCube is a dedicated team of professionals that specialises in providing cost-effective and fit-for-purpose solutions for commercial bathrooms.

We are a wholly owned and operated Australian business that has been providing the construction industry with wet area products and services since 1987.

We collaborate with architects, designers, and builders to design and deliver exceptional bathroom joinery.

From initial design to installation and project close-out, we provide superior customer service and respond quickly to clients’ evolving needs. Our tight-knit team handles every detail with care and precision, and a single point of contact ensures a seamless experience.

We manufacture our joinery using DuraSafe Compact Laminate, a 13mm antiviral, antibacterial, and antifungal compact laminate. Machined in our Western Sydney factory, our products are shipped weekly to warehouses across Australia.

PRODUCT RANGE INCLUSIONS
— Toilet and shower partitioning systems
— Privacy panels
— Locker systems
— Bench seating
— Vanity benches
— Hardware, accessories and locks
— DuraSafe compact laminate cut to size
OUR CUSTOMER PROMISE
We are committed to providing superior customer service by:
— Using our industry experience and expertise
— Identifying issues and proactively providing solutions
— Communicating through one point of contact
— Supplying quality products
— Delivering our products on time every time

Evolving Since

1987

Staff Members

50+

Cubicle Production Capacity (Per Week)

1,000+

Locations

DuraCube has offices and depots in New South Wales, Queensland, Victoria and South Australia.



Files available online



Certified



Market leading

SECTION 1

PARTITIONING

SYSTEMS

Pedestal Mount Overhead Braced (POB)	10
Pedestal Mount Ceiling Fixed (PCF)	14
Floor Mount Overhead Braced (FOB)	18
Floor Mount Ceiling Fixed (FCF)	22
Floor Mount Free Standing (FFS)	26
Full Height Privacy Core (FHPC)	30
Full Height Privacy Ultra (FHPU)	34
Full Height Privacy Max (FHPM)	38
Full Height Self-Contained (FHSC)	42
Full Height Self-Contained Cleaners Closet (FHSC-C)	46





The DuraCube pedestal mount overhead braced wet area partitioning system is strong, economical, and designed to minimise material waste.

The system is quick and easy to assemble, reducing installation time.

Pedestal floor mounting allows for easy cleaning with a mop and hose.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS


- The most cost-effective partitioning system
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Efficient use of materials
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Quick and easy installation
- Overall system height 2020mm AFFL

“The pedestal mount overhead braced partitioning system is strong, quick and easy to install, and easy to clean.”


Mark Simpson
Founder, DuraCube




DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.



Plan



Elevation




Standard Pedestal Mount Detail

Optional Setback Pedestal Mount Detail

“We manufacture our partitioning systems in-house and can deliver high quality products within three weeks from site measurement.”

Athol Simpson
Operations Manager, DuraCube



Section

HOW TO SPECIFY
Product DuraCube pedestal mount overhead braced (POB)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Hardware Viva satin chrome hardware is standard. Other hardware is available – see pages 104-105
Headrail Aluminium square profile 40mm x 40mm Colour – Select from options on page 105
Floor Mounting Adjustable 200mm aluminium pedestal legs
Overall System Height 2020mm AFFL



The DuraCube pedestal mount ceiling fixed wet area partitioning system is a visually appealing design. All panels are fixed directly to the ceiling while the pedestal legs provide structural strength.

The system is quick and easy to assemble, reducing installation time. Pedestal floor mounting allows for easy cleaning with a mop and hose.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS


- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Efficient use of materials
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Quick and easy installation
- Overall system height 2400mm to 3000 AFFL

“The pedestal mount ceiling fixed partitioning system is a strong system with minimal lines as there is no headrail required.”


Kasun Jayasinghe
Commercial Manager, DuraCube




DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.




Plan




Elevation




Ceiling Fixing Detail



Standard Pedestal Mount Detail



Optional Setback Pedestal Mount Detail



Section

HOW TO SPECIFY

Product
DuraCube pedestal mount ceiling fixed (PCF)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Hardware
Viva satin chrome hardware is standard
Other hardware is available – see pages 104-105

Ceiling Fixing
Aluminium C channel 20mm x 30mm fixed to the ceiling
Colour – Select from options on page 105

Floor Mounting
Adjustable 200mm aluminium pedestal legs

Overall System Height
2400mm to 3000mm AFFL



Our floor mount overhead braced wet area partitioning system is one of the strongest systems we offer and specifically designed for heavy-duty applications.

Aesthetically pleasing, it is the ideal solution for schools, end-of-trip facilities and high use corporate bathrooms.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS

- Nibs mounted to the floor provide stability, strength and durability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2020mm AFFL

“The floor mount overhead braced partitioning system is robust, ideal for heavy duty applications, and provides a clean timeless appeal.”


Rick Kennard
Sales Executive, DuraCube




Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the waterproofing membrane.



DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.




Plan




Elevation



Floor Mounting Detail



Optional 150mm Skirt Mount Detail



Section

HOW TO SPECIFY
Product DuraCube floor mount overhead braced (FOB)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Hardware Viva satin chrome hardware is standard Other hardware is available – see pages 104-105
Headrail Aluminium square profile 40mm x 40mm Colour – Select from options on page 105
Floor Mounting Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar or optional skirt mount
Overall System Height 2020mm AFFL



DuraSafe 5003 Phillipine Teak

Our floor mount ceiling fixed wet area partitioning system is designed specifically for use in upmarket corporate applications or anywhere that requires a quality finished bathroom.

The superbly finished, streamlined design makes this system one of our most popular and aesthetically pleasing partitioning systems.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Pubs and clubs

FEATURES & BENEFITS


- Nibs mounted to the floor provide stability, strength and durability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Aesthetically pleasing design with clean lines
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2020mm AFFL

“The floor mount ceiling fixed partitioning system presents a quality, up-market aesthetic through clean lines and the continuity of the finish.”


Ron Simpson
Major Projects Manager, DuraCube



DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.




Plan




Elevation

Ceiling Fixing Detail



Floor Mounting Detail



Section

HOW TO SPECIFY

Product
DuraCube floor mount ceiling fixed (FCF)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Hardware
Viva satin chrome hardware is standard
Other hardware is available – see pages 104-105

Ceiling Fixing
Aluminium C channel 20mm x 30mm fixed to the ceiling
Colour – Select from options on page 105

Floor Mounting
Nib panels fixed with 40mm x 12mm powder coated aluminium flat bar

Overall System Height
2400mm to 3000 AFFL



DuraSafe 5003 Phillipine Teak

Our floor mount free standing wet area partitioning system is one of the most sophisticated systems we offer.

This high quality, low maintenance solution is specifically designed for use in low traffic areas and is suitable for upmarket corporate applications.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway.

APPLICATIONS

- Corporate amenities
- Low traffic areas

“The floor mount free standing partitioning system offers a sleek, minimalist design for use in low traffic areas.”

Matthew Ponza
Specification Manager, DuraCube


FEATURES & BENEFITS

- No headrail or ceiling fixing creates a sleek, modern design with clean lines
- Nibs mounted to the floor provide stability
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 1900mm AFFL


Please Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the waterproofing membrane.




DuraSafe Compact Laminate
All DuraCube panels and doors are constructed with DuraSafe 13mm compact laminate.




Plan



150mm Skirt Mount Detail



Elevation



Section

HOW TO SPECIFY
Product DuraCube floor mount free standing (FFS)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Hardware Viva satin chrome hardware is standard Other hardware is available – see pages 104-105
Floor Mounting Nib panels fixed with skirt mount Colour – Select from options on page 105
Overall System Height 1900mm AFFL



DuraSafe 268 Evening, and DuraSafe 5003 Phillipine Teak

Our full height privacy core is a wet area partitioning system that provides visual privacy at an affordable price.

Privacy core panels above the doors are slotted to provide air circulation.

This system complies with Department of Education standards in most Australian states.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D81a — Unisex facility requirement for full height doors and partitions
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway

APPLICATIONS


- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS


- Cost-effective privacy partitioning system
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- DuraCube privacy edge is a standard inclusion
- Slotted panel above door enables ventilation
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2340mm to 3000mm AFFL


“The full height privacy core partitioning system provides visual privacy and ventilation at an economical price.”

Harry Simpson
Sales Manager, DuraCube




Slotted Panel Detail






Plan


Ceiling Fixing Detail



Floor Mounting Detail



Elevation



Section

HOW TO SPECIFY

Product
DuraCube full height privacy core (FHPC)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Construction
Privacy edge angled door and nibs
Privacy core ventilation panel

Hardware
Viva satin chrome hardware is standard
Other hardware is available – see pages 104-105

Ceiling Fixing
Aluminium channel
Colour – Select from options on page 105

Floor Mounting
Aluminium angle
Colour – Select from options on page 105

Overall System Height
Min. 2340mm to Max. 3000mm AFFL



Our full height privacy ultra is a wet area partitioning system is designed for high use areas where privacy is of the highest concern, such as schools, swimming pools and sporting facilities.

Floor-to-ceiling doors, panels and nibs create a streamlined design with minimal gaps providing a low maintenance and ultra private solution.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D81a — Unisex facility requirement for full height doors and partitions.
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway.
- To comply with NCC J6D5, 25 l/s of forced exhaust air ventilation per cubicle is required. Pressure drop through the cubicle is less than 12pa at 25 l/s.
- Can achieve natural ventilation requirements of NCC 10.6.2 (A) to an adjoining room.

APPLICATIONS

- Schools and universities
- End-of-trip facilities

- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS


- Modern, minimalist design with clean lines
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- DuraCube privacy edge is a standard inclusion
- No sight gaps around panels, nibs and doors
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2100 to 3000mm AFFL




Ceiling and Door Detail

“The full height privacy ultra partitioning system provides visual privacy in an elegant sleek design”


Cooper O’Neill,
Sales Executive, DuraCube






Plan

Note: Standard splash panel finishes at 1800mm AFFL. Full or extended height splash panel options are also available.




Elevation

Ceiling Fixing Detail



Note: Exhaust Air Requirement 25 l/s of forced exhaust air ventilation is required per cubicle to comply with NCC J6D5. Maximum pressure drop across make up air opening is 12Pa at 25 l/s.

Floor Mounting Detail



Section

HOW TO SPECIFY
Product DuraCube full height privacy ultra (FHPU)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Construction Privacy edge angled door and nib
Hardware Viva satin chrome hardware is standard Other hardware is available – see pages 104-105
Ceiling Fixing Aluminium channel Colour – Select from options on page 105
Floor Mounting Aluminium angle Colour – Select from options on page 105
Overall System Height Min. 2100mm to Max. 3000mm AFFL



The full height privacy max is a wet area partitioning system that provides a cost-effective alternative to traditional stud wall construction.

Privacy Max cubicles ensure maximum visual and acoustic privacy while also allowing ventilation.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D81a — Unisex facility requirement for full height doors and partitions.
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway.
- Ventilation Grille has maximum pressure drop of 12Pa at 25l/s of forced exhaust air ventilation to provide makeup air required per cubicle to comply with NCC 2022 J6D5. (Full report available).

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities


FEATURES & BENEFITS

- Efficient alternative to stud wall construction
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- Acoustic rubber seal around doors and openings
- No sight gaps around panels, nibs and doors
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges
- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Easy to clean and sanitise
- Reduced maintenance time and cost
- Overall system height 2340 to 3000mm AFFL
- Suitable for mechanically ventilated areas only


"The full height privacy max partitioning system eliminates all gaps around panels and doors to increase comfort for its users."

Alana Jackson
Specification Manager, DuraCube






Plan




Elevation

Ceiling Fixing Detail




Floor Mounting Detail



Section

Note: Exhaust Air Requirement 25 l/s of forced exhaust air ventilation is required per cubicle to comply with NCC J6D5. Maximum pressure drop across makeup air opening is 12Pa at 25 l/s.



Door Seal Detail

HOW TO SPECIFY

Product
DuraCube full height privacy max (FHPM)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Construction
Privacy max door seals
Privacy max ventilation panel

Hardware
Viva satin chrome hardware is standard
Other hardware is available – see pages 104-105

Ceiling Fixing
Aluminium channel
Colour – Select from options on page 105

Floor Mounting
Aluminium angle
Colour – Select from options on page 105

Overall System Height
Min. 2340mm to Max. 3000mm AFFL



By integrating the wash basin within the private cubicle, we eliminate the design gaps found in communal washing areas, such as lack of privacy and bullying “hot spots”.

This “all-in-one” approach is functionally superior and easier to maintain. It meets the growing demand for trauma-informed and gender-inclusive design in Australian schools and universities.

Add a cleaners closet where ongoing efficiency and maintenance are a primary interest.

REGULATORY COMPLIANCE

- NCC 2022 Part F — Deem to Satisfy Provisions
- F4D81a — Unisex facility requirement for full height doors and partitions.
- F4D82c — Door removable from outside if less than 1.2m between pan and doorway.
- To comply with NCC J6D5, 25 l/s of forced exhaust air ventilation per cubicle is required. Pressure drop through the cubicle is less than 12pa at 25 l/s.

APPLICATIONS

- Schools and universities
- End-of-trip facilities

- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

FEATURES & BENEFITS

- Vanity Basin cabinet to conceal waste and electronic tapware controls (if applicable) to prevent vandalism
- Access panel, vanity cabinet, mirror cabinet and cleaners cabinet all locked and keyed alike
- Optional mirror cabinet concealing stainless steel paper towel dispenser and electronic touch-free soap dispenser with 2L storage
- Optional high speed energy efficient hand dryer in place of paper towel dispenser
- Vertical services duct with permanent access for services through locked hatch
- Prefabricated with cutouts for plumbing and electrical services
- Space saving without the need to cavity walls between cubicles for services
- Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy




- DuraCube privacy edge is a standard inclusion
- No sight gaps around panels, nibs and doors
- DuraSafe 13mm compact laminate construction
- No edge strip required as compact laminate black core is visible on the edges


- Impact-resistant construction
- Vandal-resistant surface
- Waterproof, suitable for hose cleaning
- Overall system height 2100 to 3000mm AFFL

“By integrating the basin directly into the partitioning system, we’ve eliminated any compromise between privacy and convenience. It’s a seamless, all-in-one solution designed for the modern user experience.”


Nick Serafin
Marketing Manager, DuraCube

Privacy edge is a standard inclusion with privacy ultra, eliminating all sight gaps between doors and nibs







Plan



Elevation B




Elevation A




Elevation C


HOW TO SPECIFY	
Product	DuraCube full height self-contained (FHSC)
Door and Panel Construction Material	DuraSafe 13mm compact laminate
Construction	Privacy edge angled door and nib
Hardware	Viva satin chrome hardware is standard Other hardware is available – see pages 104-105
Locks	All locks to be keyed alike for access panel, vanity cabinet, mirror door cabinet, and cleaners cabinet.
Fixtures (select one)	Standard No mirror cabinet, dispensers, or cleaners cabinet.
Upgrade Options	Locked mirror cabinet with concealed electronic soap dispenser and paper towel. Locked mirror cabinet with concealed electronic soap dispenser and high speed hand dryer. Locked cleaners storage cabinet.
Ceiling Fixing	Aluminium channel Colour – Select from options on page 105
Floor Mounting	Aluminium angle Colour – Select from options on page 105
Overall System Height	Min. 2100mm to Max. 3000mm AFFL




Plan - Optional with Cleaners Cabinet




Elevation C - Option with Cleaners Cabinet



Elevation D - Option with Cleaners Cabinet



Elevation B - Optional with Cleaners Cabinet



Elevation E - Optional with Cleaners Cabinet

HOW TO SPECIFY
Product DuraCube full height self-contained (FHSC-C)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Construction Privacy edge angled door and nib
Hardware Viva satin chrome hardware is standard Other hardware is available – see pages 104-105
Ceiling Fixing Aluminium channel Colour – Select from options on page 105
Floor Mounting Aluminium angle Colour – Select from options on page 105
Overall System Height Min. 2100mm to Max. 3000mm AFFL

SECTION 2

PRIVACY PANELS

Overview	50
Privacy Panel – Wall Mount (PWM)	51-53
Privacy Panel – Pedestal Mount (PPM)	51-53
Privacy Panel – Childcare (PCC)	51-53
Privacy Panel – Full Height (PFH)	51-53
Privacy Panel – Post Fixed (PPF)	51-53





DuraCube privacy panels are a versatile wet area screening solution providing privacy in open plan bathrooms and change rooms.

Privacy panels are usually installed between urinals or as a substitute for an airlock.

Childcare privacy panels separate toilets at early learning centres and preschools.

Our range includes wall mount, pedestal mount, childcare, full height and post fixed.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities

Edison Bryden
Sales Executive, DuraCube

“The DuraCube privacy panels range is quick and easy to install, quick and easy to clean, and allows consistency right throughout a project’s bathroom joinery systems.”

- FEATURES & BENEFITS
- Privacy panels are easy to install
 - Unobtrusive design
 - Compact laminate colours will coordinate with partitioning system colour scheme
 - Compact laminate is vandal and Impact-resistant construction material
 - Waterproof, suitable for hose cleaning
 - Easy to clean and sanitise, reducing maintenance time and cost
 - Oyster Grey powder coat aluminium extrusions with stainless steel fixings



Privacy Panel – Wall Mount (PWM)



Privacy Panel – Pedestal Mount (PPM)




Privacy Panel – Childcare (PCC)




Privacy Panel – Full Height (PFH)




Privacy Panel – Post Fixed (PPF)




Privacy Panel – Wall Mount (PWM)




Privacy Panel – Pedestal Mount (PPM)




Privacy Panel – Full Height (PFH)



Privacy Panel – Post Fixed (PPF)



Privacy Panel – Childcare (PCC)



HOW TO SPECIFY				
Product Name	Materials	Typical Height	Typical Width	Floor Mount/Ceiling Fixed
Privacy Panel – Wall Mount (PWM)	DuraSafe 13mm Compact Laminate	1400mm AFFL	400mm	Wall mount only with aluminium T-channel
Privacy Panel – Pedestal Mount (PPM)		1400mm AFFL	400mm	Floor mount with adjustable 200mm aluminium pedestal legs
Privacy Panel – Childcare (PCC)		1000mm AFFL	800mm	Floor mount with adjustable 200mm aluminium pedestal legs
Privacy Panel – Full Height (PFH)		To Ceiling Max. 3000mm	400mm to 1200mm	Floor mount with aluminium angle Ceiling fixed with aluminium channel
Privacy Panel – Post Fixed (PPF)		2000mm AFFL	400mm to 1200mm	40 × 40mm floor-to-ceiling square post

Please Note: Custom sizes and solutions are available upon request. Contact our sales team for assistance.

SECTION 3

LOCKER SYSTEMS

Section 3: Locker Systems	54
Overview	56
Lockers – Plinth Mounted (LPM)	57
Lockers – Wall Mounted (LWM)	58
Lockers – Bench Mounted (LBM)	59
Lockers – Shoe Box Mounted (LSBM)	60
Lockers – Shoe Box Seating Mounted (LSBSM)	61
Lockers – Plinth Mounted End-of-Trip (LPM-EOT)	62
Lockers – Wall Mounted End-of-Trip (LWM-EOT)	64
Lockers – Accessible Ironing Station (AIS)	66
Lockers – Plinth Mounted DDA (LPM-DDA)	67
Lockers - Bench Seat Mount Player (LBSM-P)	70
Lockers - Shoe Box Seat Mount Player (LSBSM-P)	72
Lockers - Bench Seat Mount Cricket (LBSM-C)	73





DuraCube lockers are constructed from DuraSafe 13mm compact laminate, making them suitable for wet and dry locations.

Compact laminate is vandal, impact, and water-resistant with a low maintenance surface.

Coordinate your locker colours with partitioning systems, bench seating and vanities.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Sport and gym change rooms
- Defence ablution blocks

“The DuraCube locker range has expanded to accommodate evolving trends, making it fast and easy to design and construct with bathroom joinery systems.”

Nick Serafin
Marketing Manager, DuraCube

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction requires no edge strip due to black core edge
- Locker carcass constructed from either:
 - water-resistant white 16mm HMR board or
 - 100% waterproof white 16mm PVC board
- Black PVC edge tape on carcass to match black core on compact laminate panels and doors
- Four door colours can be used to create a pattern
- Shelving and vent options are available
- Coat rail is a standard inclusion
- One to four doors are optional per locker tower

LOCK OPTIONS

Electronic Touch Pad Lock (ETP)

Standard Key Lock (KL)

Electronic Button Lock (KL1000)


Mechanical Combination Lock (KL20)

Padlock Hasp (PH)


Lockers – Plinth Mounted (LPM)




HOW TO SPECIFY
Product DuraCube locker systems – plinth mounted (LPM)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Insert lock option here – see page 50



Plan



Elevation



Section



Lockers – Wall Mounted (LWM)




HOW TO SPECIFY

Product
DuraCube locker systems – wall mounted (LWM)


Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board


Lock
Select lock option here – see page 50



Plan



Elevation



Section

Lockers – Bench Mounted (LBM)




HOW TO SPECIFY

Product
DuraCube locker systems – bench mounted (LBM)


Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board


Lock
Select lock option here – see page 50



Plan



Elevation



Section



Lockers – Shoe Box Mounted (LSBM)





HOW TO SPECIFY

Product
DuraCube locker systems – shoe box mounted (LSBM)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board

Lock
Select lock option here – see page 50



Lockers – Shoe Box Seating Mounted (LSBSM)





HOW TO SPECIFY

Product
DuraCube locker systems – shoe box seating mounted (LSBSM)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board

Lock
Select lock option here – see page 50







Lockers – Plinth Mounted End-of-Trip (LPM-EOT)




HOW TO SPECIFY
Product DuraCube locker systems – plinth mounted end-of-trip (LPM-EOT)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50




Plan




Elevation




Section



Section



Section




Section




Lockers – Wall Mounted End-of-Trip (LWM-EOT)




HOW TO SPECIFY
Product DuraCube locker systems – wall mounted end-of-trip (LWM-EOT)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50




Plan




Elevation




Section



Section



Section




Section




Lockers - Accessible Ironing Station (AIS)




HOW TO SPECIFY
Product DuraCube locker systems - accessible ironing station (AIS)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50



Plan



Elevation






Section

Lockers - Plinth Mounted DDA (LPM-DDA)



HOW TO SPECIFY
Product DuraCube locker systems - plinth mounted dda (LPM-DDA)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50









Lockers - Plinth Mounted DDA (LPM-DDA)



HOW TO SPECIFY
Product DuraCube locker systems - plinth mounted dda (LPM-DDA)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50



HOW TO SPECIFY
Product DuraCube locker systems - plinth mounted dda (LPM-DDA)
Door and Panel Construction Material DuraSafe 13mm compact laminate
Internal Carcass Construction Material Select either: Dry area lockers – white or black 16mm HMR board Wet area lockers – white 16mm PVC board
Lock Select lock option here – see page 50





Lockers - Bench Seat Mount Player (LBSM-P)




HOW TO SPECIFY

Product
DuraCube locker system - bench seat mount player (LBSM-P)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board

Lock
Select lock option here – see page 58



DuraSafe 5003 Phillipine Teak



Lockers - Shoe Box Seat Mount Player (LSBSM-P)



HOW TO SPECIFY

Product
DuraCube locker system - shoe box seat mount player (LSBSM-P)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board

Lock
Select lock option here – see page 58

Lockers - Bench Seat Mount Cricket (LBSM-C)





HOW TO SPECIFY

Product
DuraCube locker system - bench seat mount player (LBSM-C)

Door and Panel Construction Material
DuraSafe 13mm compact laminate

Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board

Lock
Select lock option here – see page 58




SECTION 4

BENCH SEATING

Section 4: Bench Seating	74
Overview	76
Bench Seating – Island (BSI)	77
Bench Seating – Wall with Shelving (BSW-S)	78
Bench Seating – Wall with Coat Rail (BSW-C)	79
Bench Seating – Shoe Box Island (SBI)	80
Bench Seating – Shoe Box Wall with Shelving (SBW-S)	81
Bench Seating – Shoe Box Wall with Coat Rail (SBW-C)	82





DuraCube bench seating is constructed from DuraSafe 13mm compact laminate making it robust and durable for heavy-duty applications.

The benches are designed to coordinate with lockers and partitioning systems.

A practical, low maintenance and modern design, the bench seating is idea for various wet areas.

APPLICATIONS


- Schools and universities
- End-of-trip facilities
- Sport and gym change rooms
- Recreational amenities
- Aquatic centres
- Factory change rooms
- Corporate amenities
- Childcare centres

- FEATURES & BENEFITS
- DuraSafe 13mm compact laminate construction
 - Vandal and impact-resistant surface
 - Suitable for wet areas that are hose cleaned
 - Low maintenance, easy to clean and sanitise
 - Sturdy Oyster Grey powder-coat frames and legs
 - Available in island or wall fixed configurations or combined with lockers.
 - Coat hooks with rail or shelving is a standard inclusion and installed above bench seating
 - A range of compact laminate colours are available
 - Most cost-effective when designed in 1200mm and 1800mm lengths


Bench Seating – Island (BSI)




HOW TO SPECIFY
Product DuraCube bench seating – island (BSI)
Bench Seat Construction Material DuraSafe 13mm compact laminate
Coat Rail and Back Rest Supports DuraSafe 13mm compact laminate
Bench Seat Legs Steel leg – Pearl Grey powder coat
Frame Finish Steel posts – Pearl Grey powder coat



Plan



Elevation




Section




Bench Seating – Wall with Shelving (BSW-S)




HOW TO SPECIFY
Product DuraCube bench seating – wall with shelving (BSW-S)
Bench Seat Construction Material DuraSafe 13mm compact laminate
Shelving DuraSafe 13mm compact laminate
Shelf Bracket Bracket – Oyster Grey powder coat
Bench Seat Legs Aluminium leg – Pearl Grey or black powder coat



Plan



Elevation




Section


Bench Seating – Wall with Coat Rail (BSW-C)




HOW TO SPECIFY
Product Bench seating – wall with coat rail (BSW-C)
Bench Seat Construction Material DuraSafe 13mm compact laminate
Coat Rail DuraSafe 13mm compact laminate
Bench Seat Legs Aluminium leg – Pearl Grey or black powder coat



Plan



Elevation



Section



Bench Seating – Shoe Box Island (SBI)




HOW TO SPECIFY


Product
DuraCube bench seating – shoe box island (SBI)

Bench Seat Construction Material
DuraSafe 13mm compact laminate


Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board



Plan



Elevation



Section

Bench Seating – Shoe Box Wall with Shelving (SBW-S)




HOW TO SPECIFY


Product
DuraCube bench seating – shoe box island with shelving (SBW-S)

Bench Seat Construction Material
DuraSafe 13mm compact laminate


Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board



Plan



Elevation



Section



Bench Seating – Shoe Box Wall with Coat Rail (SBW-C)




HOW TO SPECIFY


Product
DuraCube bench seating – shoe box wall with coat rail (SBW-C)

Bench Seat Construction Material
DuraSafe 13mm compact laminate


Internal Carcass Construction Material
Select either:
Dry area lockers – white or black 16mm HMR board
Wet area lockers – white 16mm PVC board



Plan



Elevation



Section



SECTION 5

VANITIES

Section 5: Vanities	84
Overview	86
Vanity Bench – Inset (VB520)	88
Vanity Bench – Semi-Recessed (VB350)	89
Vanity Cabinet – Inset (VCWM520)	90
Vanity Cabinet – Semi-Recessed (VCWM350)	91





DuraSafe 5578 Slate, and DuraSafe 464 Barrier Reef

DuraCube vanity benches are made to measure and precut ready for quick on-site installation.

A large range of compact laminate colours are available to complement the partitioning system.

DuraCube compact laminate is antiviral, antifungal and antibacterial. It's the ideal surface for vanity benches in any commercial wet area.

APPLICATIONS

- Schools and universities
- End-of-trip facilities
- Shopping centres
- Sport and gym change rooms
- Defence ablution blocks
- Corporate amenities
- Recreational amenities
- Entertainment centres
- Childcare centres

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction

- Basin can be inset or semi-recessed
- Prefabricated vanity with basin cut-out reduces installation time on-site
- Waterproof compact laminate ensures no swelling when in contact with water
- Compact laminate bench will coordinate with partitioning system
- Cost-effective alternative to engineered stone and natural stone benchtop
- A large range of compact laminate colours are available in stock
- Available as a vanity bench or vanity cabinet

“DuraCube vanities prioritise hygiene and longevity. With seamless joins and moisture-resistant finishes, these systems offer a low-maintenance, high-impact solution that remains pristine even in the most demanding environments.”

Clint Moss
Project Manager, DuraCube



DuraSafe 5003 Phillipine Teak, and DuraSafe 297 Deep Water



DuraSafe 279 Charcoal and DuraSafe 5427 Refresh Oak




DuraSafe 5003 Phillipine Teak




Vanity Bench – Inset (VB520)




HOW TO SPECIFY
Product DuraCube vanity bench – Inset (VB520)
Vanity Bench Construction Material DuraSafe 13mm compact laminate
Wall Fixing DuraCube custom bracket



Plan



Elevation




Section


Vanity Bench – Semi-Recessed (VB350)




HOW TO SPECIFY
Product DuraCube vanity bench – semi-recessed (VB350)
Vanity Bench Construction Material DuraSafe 13mm compact laminate
Wall Fixing DuraCube custom bracket



Plan



Elevation



Section




Vanity Cabinet – Inset (VCWM520)




HOW TO SPECIFY
Product DuraCube vanity bench – Inset (VCWM520)
Vanity Bench Construction Material DuraSafe 13mm compact laminate
Wall Fixing DuraCube custom bracket


Note: Plinth Mounted version also available.



Plan



Elevation




Section

Vanity Cabinet – Semi-Recessed (VCWM350)




HOW TO SPECIFY
Product DuraCube vanity bench – semi-recessed (VCWM350)
Vanity Bench Construction Material DuraSafe 13mm compact laminate
Wall Fixing DuraCube custom bracket


Note: Plinth Mounted version also available.



Plan



Elevation



Section


SECTION 6

DURASAFE COMPACT

LAMINATE

Section 6: Compact Laminate	92
Overview	94
DuraSafe Standard Colour Range	95
DuraCube Specifier Exclusives Colour Range	96
DuraCube First Nations Range	98
Cut to Size Service	100





DuraSafe Compact Laminate has antiviral, antifungal and antibacterial surface properties ensuring resistance to harmful germs.

DuraSafe has been tested and certified in an Australian laboratory using an internationally recognised ASTM E1053 test method.

This compact laminate is suitable for outdoor, indoor and heavy duty applications.

DuraSafe is competitively priced compared to other compact laminates on the market.

It is graffiti-resistant and has been tested to ASTM D6578/D 6578M-13 (2018).



DuraSafe Compact Laminate
DuraSafe 13mm compact laminate is antiviral, antifungal and antibacterial, eliminating 99% of common germs. Durable, waterproof, easy to clean, impact and scratch resistant.

- FEATURES & BENEFITS**
- Resistant to harmful germs
 - Resistant to abrasion
 - Resistant to cigarette burns
 - Resistant to water penetration
 - Resistant to humidity and high temperatures
 - Resistant to harsh cleaning solutions
 - Hygienic surface material
 - Easy to clean and maintain
 - Manufactured adhering to strict safety standards
 - All standard colours are stocked in our warehouses and ready for use in your project
 - Non-standard colours are not kept in stock and have an additional lead time

Please Note: The colours in this brochure have been recreated as accurately as possible to match the DuraSafe Compact Laminate colours. The colour chart should be used as a guide only. Physical samples of compact laminate colours are available upon request.

DuraSafe Standard Colour Range

111 Arctic White	113 Off White	275 Classic Grey	268 Evening	279 Charcoal
207 Wattle	138 Red Ochre	467 Jade Mist	243 Sage Green	245 Gum Leaf
464 Barrier Reef	284 Sky	291 Royal Blue	297 Deep Water	401 Midnight
5388 Alpine Ash	5577 Concrete	923 Brushed Grey	5730 Brushed Graphite	5578 Slate
9610 Pure Ash	738 Oak	5394 Washed Acacia	5003 Phillipine Teak	5333 Southern Pine
5353 Rosenheim Elm	5331 Midnight Acacia	5389 Deep Woods	5375 Native Walnut	5427 Refresh Oak



“DuraCube’s commitment to sustainability meets today’s needs without compromising future generations.”

Athol Simpson
Operations Manager, DuraCube



DuraCube Specifier Exclusives Colour Range

Why Choose DuraCube’s Exclusive Range?

At DuraCube, we offer a carefully selected range of exclusive products designed for architects and specifiers.

These premium offerings are restricted to orders where they are listed on project documentation (i.e., FF&E) and are made to order for your projects - giving you a unique advantage in creating exceptional and customised spaces.

 **These made to order colours incur a 10-14 week lead time, and MOQs apply. Ask our friendly team for advice.**

EXCLUSIVE BENEFITS FOR SPECIFIERS

01. Access to Premium Materials & Finishes

Access a curated selection of colours, new innovative systems, and premium hardware.

02. Personalised Design Consultation

These tailored sessions enable you to seamlessly integrate our exclusive products into your designs

03. Ongoing Updates & Insightful Feedback

Stay ahead of the curve with regular updates about new product releases and innovative designs.



DuraSafe Compact Laminate

DuraSafe 13mm compact laminate is antiviral, antifungal and antibacterial, eliminating 99% of common germs. Durable, waterproof, easy to clean, impact and scratch resistant.

DuraCube Specifier Exclusives Colour Range

 116 Oyster White	 121 Buttercream	 124 Sand Dune	 133 Almond	 134 Brown Khaki
 137 Autumn Gold	 141 Riverstone	 149 Hogs Bristle	 166 Rose Pink	 173 Hot Pink
 201 Burgundy	 204 Red Apple	 212 Lavender	 215 Carrot	 217 Sunset
 230 Wheat	 231 Canary	 257 Rolling Plains	 259 Green Apple	 261 Steel

DuraCube Specifier Exclusives Colour Range

 264 Eastern Brown	 271 Overcast	 273 Frost Blue	 281 Twilight Blue	 471 Stone Grey
 682 Highland Pine	 719 Beechwood	 770 Sunkissed Oak	 937 Storm Grey	 5006 Maple Wood
 5018 Burnt Walnut	 5061 Ebony Oak	 5076 Wildwood	 5334 Chestnut	 5377 Flagstone Oak
 5378 Smoke Wood	 5385 Ashwood	 5386 Rustic Rover	 5387 Coffee Rover	 5525 Natural Hickory
 5549 Contemporary Timber	 5566 Ivory Mesh	 5568 Industrial Mesh	 5574 Classic Marble	 5575 Midnight Marble
 5581 Lumina Pearl	 5587 Woodland Pearl	 5588 Slate Feria	 5589 Jupiter	 5771 Celestial Pearl
 5772 Cosmic Grey	 5853 Graphite Silver	 9611 Banyan Timber	Please Note: The colours in this brochure have been recreated as accurately as possible to match the DuraSafe Compact Laminate colours. The colour chart should be used as a guide only. Physical samples of compact laminate colours are available upon request.	



DuraCube Shifting Landscape - Seasonal Winds

Introducing the DuraCube First Nations Range, designed in collaboration with Blaklash.

BLAKLASH

At the heart of this range is the Living Histories philosophy. This is not just a collection of patterns; it is an architectural realisation of the role water plays in our shared story—a living thing that connects people, country, culture, and wellbeing.

For the first time, architects can specify bathroom systems that contribute to a building’s cultural narrative. By honouring the connection between water and Country, these spaces provide a sense of belonging and respect for all users.

Every specification contributes to social procurement goals via our partnership with the Clontarf Foundation.

Cultural & Copyright Notice
These designs are protected under Indigenous Cultural and Intellectual Property (ICIP) protocols. They must not be reproduced, modified, or used without permission.

DuraCube First Nations Range



Shifting Landscape: Erosion

Erosion reveals the passage of time through the ever-changing contours of the land, marking the deep connection between earth and water. These shifting landscapes are shaped to hold memory. Each groove and ridge holds evidence of change.



Shifting Landscape: Regrowth

The cycle of growth reflects a long history of how land is shaped and reshaped through its ecologies. Over time, these places have undergone repeated cycles of regeneration. Through these patterns of renewal, the land holds the layered histories of place and people



Shifting Landscape: Seasonal Winds

The patterns of the wind hold memory in the way they shape the land. Over time, wind carves, shifts, and smooths the surface, leaving behind subtle traces of movement and change. These natural patterns reflect the passage of time and carry the memory of shifting seasons.

Tracks and Navigation, and Cultural Practices collections coming soon!

 **These made to order colours incur a 10-14 week lead time, and MOQs apply. Ask our friendly team for advice.**

Please Note:
The colours in this brochure have been recreated as accurately as possible to match the DuraSafe Compact Laminate colours. The colour chart should be used as a guide only. Physical samples of compact laminate colours are available upon request.



DuraSafe 467 Jade Mist, DuraSafe 275 Classic Grey, and DuraSafe 291 Royal Blue

DuraSafe Cut to Size Service is the ideal solution for custom designed furniture and joinery including tables, desks, benchtops, doors and wall panels.

Compact Laminate is extremely durable, waterproof and easy to clean.

The surface is antiviral, antifungal and antibacterial, eliminating 99% of common microorganisms.

DuraCube has four CNC machines dedicated to cutting compact laminate. We can cut compact laminate to any shape and size within the 3600mm x 1800mm sheet size.

Standard edge profiles are 1.5mm aris top and bottom. Sharknose and square edge profiles are also available.

DuraCube can help save assembly time by pre-drilling holes, routing cut-outs and creating v-grooves at a minimal cost.

“Let your imagination run free with this totally custom offer.”


Alicia Woodbury
Sales Support, DuraCube

APPLICATIONS

- Cafés, restaurants, bars, alfresco dining
- Childcare centres
- Schools and universities
- Shopping centres
- Corporate breakout areas and lunch rooms
- Health facilities

FEATURES & BENEFITS

- DuraSafe 13mm compact laminate construction
- Customised designs to suit your space and style
- Cost-effective dining solution for indoor and outdoor applications
- Black core is polished to enhance the edges and eliminates the need for edge-tapes that peel
- Impact, vandal and graffiti-resistant material
- Waterproof material that does not swell when wet
- Easy to clean and maintain
- Antiviral, antifungal and antibacterial surface prevents germ growth
- Large range of colours are available



DuraSafe 291 Royal Blue



DuraSafe 111 Arctic White

SECTION 7

ACCESSORIES / HARDWARE

Section 7: Accessories / Hardware	102
Accessories	104
Hardware	104





Accessories

Ambulant Signs



MLS16446 — BLU



MLS16266 — SIL



MLS16266 — BLU



MLS16266 — SIL



MLS16246 — BLU



MLS16446 — SIL

Toilet Roll Holders



Dispenser ML841-SS



Dispenser ML832-SS



Dispenser ML841-BL



Holder 513TRH-ALUM

Grab Rails



Ambulant Grab Rail MLR112-SS



Ambulant Grab Rail MLR112-BL

Our accessories and hardware add the finishing touch to any project.

Hardware

Viva Satin Chrome (Standard Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Viva Black (Optional Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle




Coat Hook with Door Stop

Hardware

Viva Brass (Optional Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Zetlan Satin Chrome (Optional Hardware)



Standard Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Zetlan Black (Optional Hardware)



Standard Lock, Indicator and Bumper



Gravity Hinge (x3 per door)



Ambulant D Handle



Coat Hook with Door Stop

Viva Satin Chrome or Viva Black With Vandal-Proof Release (Optional Hardware)



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper



Standard Lock, Indicator and Bumper



Ambulant Lock, Indicator and Bumper

Aluminium Extrusion Colours



Oyster Grey Matt



Black Satin



Brass Mat

Bolt Through Cover Plates



Pedestal Legs



Contact

Sydney (Head Office)
13 Pullman Place
Emu Plains NSW 2750

—
Melbourne
12 Metrolink Circuit
Campbellfield VIC 3061
By appointment only

—
Brisbane
Unit 3B, 400 Nudgee Road
Hendra QLD 4011
By appointment only
Trade license number: 15241086

—
Adelaide
8 Selgar Avenue
Clovelly Park SA 5042
By appointment only
Trade license number: BLD307712

—
Telephone: 1300 387 228
Email: sales@duracube.com.au

Thank you
Please contact our team
with any questions about
your bathroom joinery.



Bathroom Joinery Systems
DuraCube.com.au



